



SDS

Safety Data Sheet

Report No. : WTF26F03058175R1C
Job No. : FSW2603110555CJ
Applicant : Sunlu (Guangdong) Technology Co., Ltd.
Address : Sunlu Technology Park, Intersection of Huanzhou North Road
and Tanzhou Avenue, Tanzhou Town, Zhongshan City,
Guangdong Province, China.
Sample Name : Resin Detergent
Date of Issue : 2026-03-19

Prepared By:

Waltek Testing Group (Foshan) Co., Ltd.

Address: No.13-19, 2/F., 2nd Building, Sunlink Machinery City, Xingye 4 Road, Guanglong Industrial Park, Chihua
Neighborhood Committee, Chencun, Shunde District, Foshan, Guangdong, China
Tel:+86-757-23811398 Fax:+86-757-23811381 E-mail:info@waltek.com.cn

Signed for and on behalf of
Waltek Testing Group (Foshan) Co., Ltd.

Swing Liang

Swing.Liang



WTF26F03058175R1C

SDS



Report No.: WTF26F03058175R1C

Job No.: FSW2603110555CJ

Safety Data Sheet

Section 1 – Chemical Product and Company Identification

Product Name: Resin Detergent

Relevant identified use: /

Tel: 13750004135

Contact: Miss Bu

Email: pc77@sunlu.com

Fax: /

Emergency phone number: 13750004135

Section 2 – Hazards Identification

Classification according to GHS:

The product is not a dangerous chemical according to GHS.

Hazard category: Under normal circumstances, the product is stable and harmless.

Precautionary statement(s) Prevention:

- | | |
|-------------|--|
| P210 | Stay away from heat sources/sparks/open flames/hot surfaces. No Smoking. |
| P271 | Can only be used in well ventilated areas. |
| P261 | Avoid breathing dust/fume/gas/mist/vapours/spray. |
| P280 | Wear protective gloves/protective clothing/eye protection/face protection. |
| P264 | Wash thoroughly after handling. |
| P272 | Contaminated work clothing should not be allowed out of the workplace. |

Precautionary statement(s) Response:

- | | |
|-----------------------|--|
| P370+P378 | In case of fire: use insoluble foam or normal protein foam to extinguish the fire. |
| P305+P351+P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P312 | If you feel uncomfortable, call the detoxification center/doctor/emergency personnel. |
| P332+P313 | If skin irritation occurs: Get medical advice/attention. |
| P337+P313 | If eye irritation persists: Get medical advice/attention. |

Waltek Testing Group (Foshan) Co., Ltd.
<http://www.waltek.com.cn>

SDS



Report No.: WTF26F03058175R1C

Job No.: FSW2603110555CJ

P304+P340

If accidentally inhaled: Move the person to a place with fresh air and maintain a comfortable breathing position.

Precautionary statement(s) Storage:

P403+P235

Store in a well ventilated area. Maintain low temperature.

P405

The storage area must be locked.

P403+P233

Store in a well ventilated area. Maintain low temperature.

Precautionary statement(s) Disposal:

P501

Dispose of contents/container to authorised hazardous or special waste collection point in accordance with any local regulation.

Signal word(s): None

Invasion way: Skin contact, eye contact, inhalation, ingestion.

Results of acute exposure: Acute poisoning mostly occurs orally. Generally can be divided into four stages of excitement, hypnosis, anesthesia, asphyxia. Patient enters the third or fourth stage with loss of consciousness, dilated pupils, irregular breathing, shock, heart failure, and respiratory arrest.

Chronic effects: Long-term exposure to high concentrations of this product during production can cause irritation of the nose, eyes, and mucous membranes, as well as headaches, dizziness, fatigue, irritability, tremors, nausea, etc.

Health hazards: Skin touch: Contact with the product at normal temperature is not harmful to health, and exposure to high temperature combustion products may cause skin irritation.

Eyes touch: Under normal circumstances, no contact with the eyes. Exposure to high temperature combustion products can cause irritation and may even damage the eyes.

Inhalation: Under normal circumstances, it will not be inhaled. If high temperature combustion products are inhaled, it may cause irritation of the respiratory tract.

Ingestion: If eaten by mistake, it may cause irritation and damage to the mouth and digestive tract.

Other hazards: None

Section 3 – Composition/information on Ingredient

Substances ☐

Mixtures ☒

Composition:

Chemical Name		Content (%)	CAS No.
Resin Detergent	Tripropylene glycol monomethyl ether	50	20324-33-8
	Dipropylene glycol monomethyl	10	34590-94-8

Waltek Testing Group (Foshan) Co., Ltd.

<http://www.waltek.com.cn>

SDS



Report No.: WTF26F03058175R1C

Job No.: FSW2603110555CJ

	ether		
	Water	40	7732-18-5

Note: This ingredient list information is provided by the customer.

Section 4 – First Aid Measures

Skin touch: No information is available.

Eyes touch: In case of the sample contact with eyes, rinse immediately with plenty of water. Have the victims remove contact lenses if he is wearing them before rinsing. Do not let the victims rub his eyes. Get medical aid.

Inhalation: Remove the victims to the fresh air and keep the respiratory tract smooth. Use oxygen if breathing is difficult. Get medical aid.

Ingestion: If accidentally eat the product, rinse mouth with water. Never give anything by mouth to an unconscious person. Get medical aid.

Section 5 – Fire Fighting measures

Extinguishing media: Misty water, foam, dry powder, CO₂, etc.

Danger characteristic: Stable at room temperature.

Hazardous combustion products: Carbon monoxide, carbon dioxide, etc.

Special hazards arising from the substance or mixture: No information is available.

Fire extinguishing method: The staff must be equipped with filter gas masks or self-contained breathing devices, and wear clothing that can protect against fire and toxic gases. Put out the flames upwind. At the scene of a fire, spray water on the fire point to reduce the temperature until the fire is completely extinguished.

Section 6 – Accidental Release Measures

Personal precautions, protective equipment and emergency procedures:

Use personal protective equipment. Avoid breathing the sample vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. For personal protection see section 8.

Environmental procedures: Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

Urgent processing: Removal method: Evacuate the contaminated area personnel to the safety zone, prohibit irrelevant personnel to enter the contaminated area, cut off the fire source. Ensure adequate ventilation. Transfer

SDS



Report No.: WTF26F03058175R1C

Job No.: FSW2603110555CJ

solid waste to suitable containers.

Preventive measures for secondary procedures: Ensure adequate ventilation. Collect the waste in proper close containers.

Reference to other sections: For disposal see section 13.

Section 7 – Handling and storage

Precautions for safe handling: Operators must be trained technically and comply with the operation procedures strictly. Keep away from heat source and open flame. Equip with corresponding varieties and number of fire equipment and emergency equipment.

Conditions for safe storage, including any incompatibilities: Keep container tightly closed in a dry, dark, well-ventilated area. Separated from oxidant, acid and alkali. Equip with corresponding varieties and number of fire equipment and emergency equipment.

Section 8 – Exposure controls, Personal Protection

Control parameters

• Occupational exposure limits:

Source	Ingredients	Name of substance	TWA	STEL	Peak value	Annotation
Occupational exposure limits for harmful factors in Chinese workplaces	Dipropylene glycol monomethyl ether	Dipropylene glycol monomethyl ether	600 mg/m ³	900 mg/m ³	No information available	Skin

• Biological exposure limits: No available information.

Monitoring Method: No information is available.

Engineering Control: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Respiratory Protection: Generally, no special protection is required. Filter-type gas masks (half-masks) can be worn when exposed to high concentrations.

Eyes Protection: Generally, no special protection is required.

Body protection: General protection and hygiene measures. Follow general precautions for handling chemicals. Stay away from food, drinks and food. Avoid eye contact.

Personal Protection: General protection and hygiene measures. Follow the general precautions for handling

SDS



Report No.: WTF26F03058175R1C

Job No.: FSW2603110555CJ

chemicals. Stay away from food, drink and food. Avoid contact with eyes.

Other Protections: None

Section 9 – Physical and Chemical Properties

Appearance: Liquid

Colour: No information is available.

Odour: No information is available.

pH Value: No information is available.

Boiling point: No information is available.

Melting Point: No information is available.

Flashpoint: No information is available.

Density: No information is available.

Upper Explosive Limit (%) : No information is available.

Lower Explosive Limit (%) : No information is available.

Oxidising properties: No information is available.

Vapour pressure: No information is available.

Solubility in water: No information is available.

Partition coefficient (n-octanol / water): No information is available.

Viscosity: No information is available

Vapour density: No information is available

Evaporation rate: No information is available

Ignition temperature: No information is available.

Section 10 – Stability and Reactivity

Reactivity: Stable at room temperature.

Chemical stability: Stable under recommended storage conditions.

Possibility of hazardous reactions: No information is available.

Conditions to avoid: Moisture-proof.

Incompatible materials: No information is available.

Hazardous decomposition products: No information is available.

SDS



Report No.: WTF26F03058175R1C

Job No.: FSW2603110555CJ

Section 11 – Toxicological Information

Acute Toxicity: Oral (rat) LD50: 5135 mg/kg, Transdermal (rabbit) LD50: 9500 mg/kg (Diphenylene glycol monomethyl ether).

Sub-acute and Chronic Toxicity: No information is available.

Irritation: Skin (rodent rabbit): 500mg - mild, skin: no adverse effects observed (unstimulated), eye (human): 8mg - mild, eye (rodent rabbit): 500mg/24H - mild, eye: no adverse effects observed (unstimulated) (Diphenylene glycol monomethyl ether).

Sensitization: No information is available.

Mutagenicity: No information is available.

Carcinogenicity: No information is available.

Reproductive toxicity: No information is available.

Specific target organ toxicity - single exposure: No information is available.

Specific target organ toxicity - repeated exposure: No information is available.

Aspiration hazard: No information is available.

Others: None

Section 12 – Ecological Information

Eco-toxicity: No information is available.

Persistence and degradability: No information is available.

Bioaccumulative potential: No information is available.

Mobility in soil: No information is available.

Results of PBT and vPvB assessment: No information is available.

Endocrine disrupting properties: No information is available.

Other adverse effects: None

Section 13 – Disposal Considerations

Nature of waste: Please refer to relevant national and local regulations before disposal.

Waste disposal methods: National or local regulations should be referred to before disposal. Hazardous waste, recycled or incinerated under controlled conditions. Empty drums should be recycled, recycled or disposed of by a qualified or licensed institution.

Attention abandoned: Undiluted product cannot enter the sewer system.

SDS



Report No.: WTF26F03058175R1C

Job No.: FSW2603110555CJ

Section 14 - Transport information

UN Number: No information is available.

Class: No information is available.

Packing group: No information is available.

Proper shipping name: Resin Detergent

Packaging Mark: No information is available.

Packaging Method: Sealed airtight packing

Transport Fashion: By sea, by road, by air, by railway.

Transport Attentions: Examine whether the packages are integrate and sealed or not before transport. No collapse, no fall or no damage during the course of transportation. Prevent the product from exposing to the sun, the rain and high temperature. Stopovers should be away from fire and heat sources. It is strictly prohibited to mix and transport with oxidants and acids. When shipping, it should be isolated from the engine room, power source and fire source. When transporting by road, follow the prescribed route.

Section 15 – Regulatory Information

Regulatory Information:

Safety, health and environmental regulations/legislation specific for the substance or mixture. The product should comply with the relevant regulations of local hazardous.

Section 16 – Additional Information

The above information is based on the data that the client supplied of which we are aware and is believed to be correct as of the data hereof. Since this information may be applied under conditions beyond our control and with which may be unfamiliar and since data made available subsequent to the data hereof may suggest modifications of the information, we do not assume any responsibility for the result of its use. This information is furnished upon condition that the person receiving it shall make his own determination of the suitability of the material for this particular purpose.

SDS



Report No.: WTF26F03058175R1C

Job No.: FSW2603110555CJ

Remarks:

1. This test report cannot be reproduced, except in full, without prior written permission of the company;
2. The report would be invalid without specific stamp of test institute and the signatures of compiler and approver;
3. The Applicant name and Address, the sample(s) and sample information was/were provided by the applicant who should be responsible for the authenticity which Waltek hasn't verified;
4. If the report is not stamped with the accreditation recognized seal, it will only be used for scientific research, education, and internal quality control activities, and is not used for the purpose of issuing supporting data to the society.
5. The sample material information (Model No. information) is provided by client, not verified by test laboratory. The samples of reference Model No. are not tested. Test laboratory not responsible for the accuracy, appropriateness, completeness and authenticity of the information provided by client.

===== End of SDS =====

WALTEK