



中国认可
国际互认
检测
TESTING
CNAS L6478



TEST REPORT

Report No. : WTF26F02040549A1X1C
Job No. : FSW2602110480CJ
Applicant : Sunlu (Guangdong) Technology Co., Ltd.
Address : No. 162 Tanlong North Road, Tanzhou Town, Zhongshan City
Zhongshan, Guangdong, 528467, China
Sample Name : FilaDryer S4 pro
Test Requested : With reference to EU RoHS Directive 2011/65/EU and its
amendment Directive EU 2015/863, to determine the Pb, Cd,
Hg, Cr⁶⁺, PBBs, PBDEs, DBP, BBP, DEHP, DIBP content in
the submitted sample.
Test Method : Refer to next page (s)
Test Conclusion : **Pass**
Date of Receipt Sample : 2026-02-11 & 2026-05-11
Testing Period : 2026-02-11 to 2026-03-04 & 2026-05-11 to 2026-05-15
Date of Issue : 2026-05-21
Test Result : Refer to next page (s)
Note : This report is based on Waltek test report
WTF26F02040549A1C for revising, and replaced report
WTF26F02040549A1C.

Prepared By:

Waltek Testing Group (Foshan) Co., Ltd.

Address: No.13-19, 2/F., 2nd Building, Sunlink Machinery City, Xingye 4 Road, Guanglong Industrial Park,
Chihua Neighborhood Committee, Chencun, Shunde District, Foshan, Guangdong, China
Tel:+86-757-23811398 Fax:+86-757-23811381 E-mail:info@waltek.com.cn

Signed for and on behalf of
Waltek Testing Group (Foshan) Co., Ltd.

Swing Liang



WTF26F02040549A1X1C

Swing.Liang
Waltek Testing Group (Foshan) Co., Ltd.
<http://www.waltek.com.cn>



Report No.: WTF26F02040549A1X1C

Job No.: FSW2602110480CJ

Sample photo:



FilaDryer S4 pro

WALTEK



Report No.: WTF26F02040549A1X1C

Job No.: FSW2602110480CJ

Test Results:**1. Lead, Cadmium, Mercury, Hexavalent Chromium, PBBs and PBDEs**

Test Method/Equipment:

- 1) Disassembly, disjunction and mechanical sample preparation
- 2) With reference to IEC 62321-3-1:2013, screening –Lead, mercury, cadmium, total chromium and total bromine by X-ray fluorescence spectrometry
- 3) With reference to IEC 62321-4:2013+AMD1:2017 CSV, determination of Mercury by ICP-OES
- 4) With reference to IEC 62321-5:2013, determination of Lead and Cadmium by ICP-OES
- 5) With reference to IEC 62321-7-2: 2017 and IEC 62321-7-1: 2015, determination of Hexavalent Chromium by UV-Vis
- 6) With reference to IEC 62321-12:2023, determination of PBBs and PBDEs by GC-MS

Part No.	Part Description	Result of XRF					Result of Wet Chemical Testing (mg/kg)
		Cd	Pb	Hg	Cr	Br	
1	White plastic adhesive label with yellow-black printing	BL	BL	BL	BL	BL	NA
2	Black plastic shell	BL	BL	BL	BL	BL	NA
3	Black transparent plastic shell with green printing	BL	BL	BL	BL	BL	NA
4	Grey plastic shell with silvery surface	BL	BL	BL	BL	BL	NA
5	Black plastic sheet	BL	BL	BL	BL	BL	NA
6	Silvery metal spring	BL	BL	BL	IN	--	Cr ⁶⁺ : Negative
7	Black soft plastic stopper	BL	BL	BL	BL	BL	NA
8	Gray soft plastic gasket with adhesive	BL	BL	BL	BL	BL	NA
9	Black plastic adhesive label with white printing	BL	BL	BL	BL	BL	NA
10	Red transparent plastic shell with white printing	BL	BL	BL	BL	BL	NA
11	Black plastic shell	BL	BL	BL	BL	IN	PBDEs: ND PBBs: ND
12	White plastic shell	BL	BL	BL	BL	BL	NA
13	Silvery metal pin	BL	BL	BL	BL	--	NA
14	Silvery metal contact	BL	BL	BL	BL	--	NA
15	Silvery metal shell	BL	BL	BL	BL	--	NA
16	Dark silvery metal spring	BL	BL	BL	BL	--	NA



Report No.: WTF26F02040549A1X1C

Job No.: FSW2602110480CJ

Part No.	Part Description	Result of XRF					Result of Wet Chemical Testing (mg/kg)
		Cd	Pb	Hg	Cr	Br	
17	Silvery metal pin	BL	BL	BL	BL	--	NA
18	Silvery metal sheet	BL	BL	BL	BL	--	NA
19	Golden-silvery metal part	BL	BL	BL	BL	--	NA
20	Black plastic shell	BL	BL	BL	BL	BL	NA
21	Transparent glass shell(fuse)	BL	BL	BL	BL	--	NA
22	Silvery metal cover(fuse)	BL	BL	BL	BL	--	NA
23	Silvery metal wire(fuse)	BL	BL	BL	BL	--	NA
24	Silvery metal axle	BL	BL	BL	IN	--	Cr ⁶⁺ : Negative
25	Silvery metal cover(bearing)	BL	BL	BL	IN	--	Cr ⁶⁺ : Negative
26	Brown plastic holder(bearing)	BL	BL	BL	BL	BL	NA
27	Silvery metal ring(bearing)	BL	BL	BL	IN	--	Cr ⁶⁺ : Negative
28	Silvery metal ball(bearing)	BL	BL	BL	IN	--	Cr ⁶⁺ : Negative
29	White semi-transparent plastic shell	BL	BL	BL	BL	BL	NA
30	Transparent soft dry glue	BL	BL	BL	BL	BL	NA
31	Silvery metal pin	BL	BL	BL	BL	--	NA
32	Transparent glass sheet	BL	BL	BL	BL	--	NA
33	White plastic adhesive tape	BL	BL	BL	BL	BL	NA
34	White semi-transparent plastic sheet	BL	BL	BL	BL	BL	NA
35	Transparent plastic sheet	BL	BL	BL	BL	BL	NA
36	White plastic sheet	BL	BL	BL	BL	BL	NA
37	Black transparent plastic sheet with green printing	BL	BL	BL	BL	BL	NA
38	Black transparent plastic sheet	BL	BL	BL	BL	BL	NA
39	Black-white plastic adhesive tape	BL	BL	BL	BL	BL	NA
40	White PCB	BL	BL	BL	BL	IN	PBDEs: ND PBBS: ND



Report No.: WTF26F02040549A1X1C

Job No.: FSW2602110480CJ

Part No.	Part Description	Result of XRF					Result of Wet Chemical Testing (mg/kg)
		Cd	Pb	Hg	Cr	Br	
41(R1)	Chip LED	BL	BL	BL	BL	BL	NA
42	Black heat-shrinkable tube(inductor)	BL	BL	BL	BL	BL	NA
43	Dark grey magnetic core(inductor)	BL	BL	BL	BL	--	NA
44	Coppery varnished wire(inductor)	BL	BL	BL	BL	BL	NA
45	Silvery metal pin(inductor)	BL	BL	BL	BL	--	NA
46	Brown-grey plastic film(electrolytic capacitor)	BL	BL	BL	BL	BL	NA
47	Yellow plastic adhesive tape(transformer)	BL	BL	BL	BL	BL	NA
48	Black plastic bobbin(transformer)	BL	BL	BL	BL	BL	NA
49	Coppery varnished wire(transformer)	BL	BL	BL	BL	BL	NA
50	Yellow triple insulation winding(transformer)	BL	BL	BL	BL	BL	NA
51	Dark grey magnetic core(transformer)	BL	BL	BL	BL	--	NA
52	Semi-transparent plastic tube(transformer)	BL	BL	BL	BL	BL	NA
53	White dry glue	BL	BL	BL	BL	BL	NA
54	Black-grey plastic film(electrolytic capacitor)	BL	BL	BL	BL	BL	NA
55	Black plastic shell(fuse)	BL	BL	BL	BL	BL	NA
56	Black plastic base(fuse)	BL	BL	BL	BL	BL	NA
57	Silvery metal wire(fuse)	BL	BL	BL	IN	--	Cr ⁶⁺ : Negative
58	Silvery metal pin(fuse)	BL	BL	BL	BL	--	NA
59	Blue resistor	BL	BL	BL	BL	BL	NA
60	Silvery metal pin	BL	BL	BL	BL	--	NA
61	Yellow-green plastic film(electrolytic capacitor)	BL	BL	BL	BL	BL	NA
62	Black rubber stopper(electrolytic capacitor)	BL	BL	BL	BL	BL	NA
63	Brown paper(electrolytic capacitor)	BL	BL	BL	BL	BL	NA



Report No.: WTF26F02040549A1X1C

Job No.: FSW2602110480CJ

Part No.	Part Description	Result of XRF					Result of Wet Chemical Testing (mg/kg)
		Cd	Pb	Hg	Cr	Br	
64	Silvery metal shell(electrolytic capacitor)	BL	BL	BL	BL	--	NA
65	Silvery metal pin(electrolytic capacitor)	BL	BL	BL	BL	--	NA
66	Grey metal foil(electrolytic capacitor)	BL	BL	BL	BL	--	NA
67	Silvery-grey metal foil(electrolytic capacitor)	BL	BL	BL	BL	--	NA
68	White plastic shell(socket)	BL	BL	BL	BL	BL	NA
69	Silvery metal pin(socket)	BL	BL	BL	BL	--	NA
70	Black IC	BL	BL	BL	BL	IN	PBDEs: ND PBBS: ND
71	Blue capacitor	BL	BL	BL	BL	BL	NA
72	Dark grey magnetic ring with green surface(inductor)	BL	BL	BL	BL	--	NA
73	Coppery varnished wire(inductor)	BL	BL	BL	BL	BL	NA
74	Black plastic bobbin(inductor)	BL	BL	BL	BL	BL	NA
75	Silvery metal radiator	BL	BL	BL	BL	--	NA
76	Black audion	BL	OL	BL	BL	BL	*Pb: 13743
77	Yellow plastic shell(capacitor)	BL	BL	BL	BL	IN	PBDEs: ND PBBS: ND
78	Yellow epoxy resin(capacitor)	BL	BL	BL	BL	IN	PBDEs: ND PBBS: ND
79	Silvery plastic film(capacitor)	BL	BL	BL	BL	BL	NA
80	Grey fuse with multicolour printing	BL	BL	BL	BL	BL	NA
81	Black plastic shell(relay)	BL	BL	BL	BL	IN	PBDEs: ND PBBS: ND
82	Black plastic base with black sealing glue(relay)	BL	BL	BL	BL	IN	PBDEs: ND PBBS: ND
83	White plastic bobbin(relay)	BL	BL	BL	BL	IN	PBDEs: ND PBBS: ND
84	Coppery varnished wire(relay)	BL	BL	BL	BL	BL	NA
85	Silvery metal axle(relay)	BL	BL	BL	BL	--	NA



Report No.: WTF26F02040549A1X1C

Job No.: FSW2602110480CJ

Part No.	Part Description	Result of XRF					Result of Wet Chemical Testing (mg/kg)
		Cd	Pb	Hg	Cr	Br	
86	Golden metal sheet(relay)	BL	BL	BL	BL	--	NA
87	Coppery metal sheet(relay)	BL	BL	BL	BL	--	NA
88	Coppery-silvery metal contact(relay)	BL	BL	BL	BL	--	NA
89	Silvery metal pin(relay)	BL	BL	BL	BL	--	NA
90	Chip capacitor(yellow)	BL	BL	BL	BL	BL	NA
91	Chip capacitor(grey)	BL	BL	BL	BL	BL	NA
92	Chip rectifier	BL	OL	BL	BL	BL	*Pb: 31382
93	Chip diode	BL	OL	BL	BL	BL	*Pb: 7668
94	Chip capacitor(brown)	BL	BL	BL	BL	BL	NA
95	Chip audion	BL	BL	BL	BL	BL	NA
96	Chip resistor	BL	OL	BL	BL	BL	*Pb: 2485
97	Solder	BL	BL	BL	BL	--	NA
98	Black PCB	BL	BL	BL	BL	IN	PBDEs: ND PBBS: ND
99	Chip IC	BL	BL	BL	BL	BL	NA
100	Chip IC	BL	BL	BL	BL	BL	NA
101	Black plastic shell(buzzer)	BL	BL	BL	BL	IN	PBDEs: ND PBBS: ND
102	Dark grey magnetic core(buzzer)	BL	BL	BL	BL	--	NA
103	Coppery varnished wire(buzzer)	BL	BL	BL	BL	BL	NA
104	Yellow-green PCB(buzzer)	BL	BL	BL	BL	BL	NA
105	Silvery metal sheet(buzzer)	BL	BL	BL	BL	--	NA
106	Beige plastic shell(socket)	BL	BL	BL	BL	BL	NA
107	Chip LED	BL	BL	BL	BL	BL	NA
108	Chip IC	BL	BL	BL	BL	BL	NA
109	Black plastic shell	BL	BL	BL	BL	BL	NA



Report No.: WTF26F02040549A1X1C

Job No.: FSW2602110480CJ

Part No.	Part Description	Result of XRF					Result of Wet Chemical Testing (mg/kg)
		Cd	Pb	Hg	Cr	Br	
110	Silvery metal sheet	BL	BL	BL	BL	--	NA
111	Silvery metal shell	BL	BL	BL	BL	--	NA
112	White fibrous tube with adhesive	BL	BL	BL	BL	BL	NA
113	White plastic wire covering	BL	BL	BL	BL	BL	NA
114	Red plastic wire covering	BL	BL	BL	BL	BL	NA
115	Black heat-shrinkable tube	BL	BL	BL	BL	BL	NA
116	Brown transparent plastic film	BL	BL	BL	BL	BL	NA
117	Silvery-grey ceramic block	BL	OL	BL	BL	--	*Pb: 169393
118	Silvery metal sheet	BL	BL	BL	BL	--	NA
119	Silvery metal shell	BL	BL	BL	IN	--	Cr ⁶⁺ : Negative
120	Grey soft dry glue	BL	BL	BL	BL	BL	NA
121	Silvery metal shell	BL	BL	BL	BL	--	NA
122	Coppery metal sheet	BL	BL	BL	BL	--	NA
123	Silvery metal sheet with grey plating	BL	BL	BL	BL	--	NA
124	Golden metal sheet	BL	BL	BL	BL	--	NA
125	Black plastic base	BL	BL	BL	BL	BL	NA
126	Black dry glue	BL	BL	BL	BL	BL	NA
127	Silvery metal wire	BL	BL	BL	BL	--	NA
128	Silvery-coppery metal contact	BL	BL	BL	BL	--	NA
129	Silvery metal sheet	BL	BL	BL	BL	--	NA
130	Golden metal cord anchorage	BL	BL	BL	BL	--	NA
131	Black plastic frame	BL	BL	BL	BL	IN	PBDEs: ND PBBs: ND
132	White plastic adhesive label with blue-black printing	BL	BL	BL	BL	BL	NA
133	Silvery metal shell	BL	BL	BL	IN	--	Cr ⁶⁺ : Negative



Report No.: WTF26F02040549A1X1C

Job No.: FSW2602110480CJ

Part No.	Part Description	Result of XRF					Result of Wet Chemical Testing (mg/kg)
		Cd	Pb	Hg	Cr	Br	
134	Dark grey soft magnetic ring	BL	BL	BL	BL	BL	NA
135	Silvery metal axle	BL	BL	BL	IN	--	Cr ⁶⁺ : Negative
136	Silvery metal buckle with black surface	BL	BL	BL	IN	--	Cr ⁶⁺ : Negative
137	Silvery silicon steel sheet	BL	BL	BL	IN	--	Cr ⁶⁺ : Negative
138	Red varnished wire	BL	BL	BL	BL	BL	NA
139	Black plastic bobbin	BL	BL	BL	BL	IN	PBDEs: ND PBBs: ND
140	Brown-green PCB	BL	BL	BL	BL	IN	PBDEs: ND PBBs: ND
141	Black IC	BL	BL	BL	BL	BL	NA
142	Yellow dry glue	BL	BL	BL	BL	BL	NA
143	Black plastic wire covering	BL	BL	BL	BL	BL	NA
144	Grey plastic wire covering	BL	BL	BL	BL	BL	NA
145	Grey-purple plastic wire covering	BL	BL	BL	BL	BL	NA
146	Transparent soft plastic sheath	BL	BL	BL	BL	BL	NA
147	Rose red plastic wire covering	BL	BL	BL	BL	BL	NA
148	Silvery metal screw with black surface	BL	BL	BL	IN	--	Cr ⁶⁺ : Negative
149	Bright silvery metal screw	BL	BL	BL	IN	--	Cr ⁶⁺ : Negative
150	Silvery metal screw	BL	BL	BL	BL	--	NA

2. Phthalates

Test Method/Equipment:

1) With reference to IEC 62321-12:2023, determination of DBP, BBP, DEHP, DIBP by GC-MS

Serial No.	Part No.	Result (mg/kg)			
		DBP	BBP	DEHP	DIBP
T01	1+9+132 ^Δ	ND	ND	ND	ND
T02	2+3+4+5+10 ^Δ	ND	ND	ND	ND
T03	7+8+42 ^Δ	ND	ND	552	ND
T04	11+12+20+26+29 ^Δ	ND	ND	ND	ND



Report No.: WTF26F02040549A1X1C

Job No.: FSW2602110480CJ

Serial No.	Part No.	Result (mg/kg)			
		DBP	BBP	DEHP	DIBP
T05	30+53+120+126+142 [△]	ND	ND	ND	ND
T06	33+39+47 [△]	ND	ND	ND	ND
T07	34+35+36+37+38 [△]	ND	ND	ND	ND
T08	40+98+140 [△]	ND	ND	ND	ND
T09	41(R1)	ND	ND	ND	ND
T10	44+49+50+73+84 [△]	ND	ND	ND	ND
T11	46+48+52+54+55 [△]	ND	ND	ND	ND
T12	56+61+68+74+77 [△]	ND	ND	ND	ND
T13	59+90+91+92+93 [△]	ND	ND	ND	ND
T14	62+78+113 [△]	ND	ND	ND	ND
T15	63+139 [△]	ND	ND	ND	ND
T16	70+71+76+80 [△]	ND	ND	ND	ND
T17	79+81+82+83+101 [△]	ND	ND	ND	ND
T18	94+95+96+99+100 [△]	ND	ND	ND	ND
T19	103+138 [△]	ND	ND	ND	ND
T20	104	ND	ND	ND	ND
T21	106+109+116+125+131 [△]	ND	ND	ND	ND
T22	107+108+141 [△]	ND	ND	ND	ND
T23	112+114+115 [△]	ND	ND	ND	ND
T24	134	ND	ND	ND	ND
T25	143+144+145 [△]	ND	ND	ND	ND
T26	146+147 [△]	ND	ND	ND	ND
T27	6	--	--	--	--
T28	13	--	--	--	--
T29	14	--	--	--	--
T30	15	--	--	--	--
T31	16	--	--	--	--
T32	17	--	--	--	--
T33	18	--	--	--	--
T34	19	--	--	--	--
T35	21	--	--	--	--
T36	22	--	--	--	--
T37	23	--	--	--	--
T38	24	--	--	--	--
T39	25	--	--	--	--
T40	27	--	--	--	--



Report No.: WTF26F02040549A1X1C

Job No.: FSW2602110480CJ

Serial No.	Part No.	Result (mg/kg)			
		DBP	BBP	DEHP	DIBP
T41	28	--	--	--	--
T42	31	--	--	--	--
T43	32	--	--	--	--
T44	43	--	--	--	--
T45	45	--	--	--	--
T46	51	--	--	--	--
T47	57	--	--	--	--
T48	58	--	--	--	--
T49	60	--	--	--	--
T50	64	--	--	--	--
T51	65	--	--	--	--
T52	66	--	--	--	--
T53	67	--	--	--	--
T54	69	--	--	--	--
T55	72	--	--	--	--
T56	75	--	--	--	--
T57	85	--	--	--	--
T58	86	--	--	--	--
T59	87	--	--	--	--
T60	88	--	--	--	--
T61	89	--	--	--	--
T62	97	--	--	--	--
T63	102	--	--	--	--
T64	105	--	--	--	--
T65	110	--	--	--	--
T66	111	--	--	--	--
T67	117	--	--	--	--
T68	118	--	--	--	--
T69	119	--	--	--	--
T70	121	--	--	--	--
T71	122	--	--	--	--
T72	123	--	--	--	--
T73	124	--	--	--	--
T74	127	--	--	--	--
T75	128	--	--	--	--
T76	129	--	--	--	--



Report No.: WTF26F02040549A1X1C

Job No.: FSW2602110480CJ

Serial No.	Part No.	Result (mg/kg)			
		DBP	BBP	DEHP	DIBP
T77	130	--	--	--	--
T78	133	--	--	--	--
T79	135	--	--	--	--
T80	136	--	--	--	--
T81	137	--	--	--	--
T82	148	--	--	--	--
T83	149	--	--	--	--
T84	150	--	--	--	--

Remark:

- (1) Results are obtained by XRF for primary screening, and further chemical testing by ICP (for Cd, Pb, Hg), UV-VIS (for Cr^{6+}) and GC-MS (for PBBs, PBDEs) is recommended to be performed, if the concentration exceeds the below warning value according to IEC 62321-3-1: 2013 (unit: mg/kg)

Element	Polymer	Metal	Composite Materials
Cd	$\text{BL} \leq (70-3\sigma) < \text{IN} < (130+3\sigma) \leq \text{OL}$	$\text{BL} \leq (70-3\sigma) < \text{IN} < (130+3\sigma) \leq \text{OL}$	$\text{LOD} < \text{IN} < (150+3\sigma) \leq \text{OL}$
Pb	$\text{BL} \leq (700-3\sigma) < \text{IN} < (1300+3\sigma) \leq \text{OL}$	$\text{BL} \leq (700-3\sigma) < \text{IN} < (1300+3\sigma) \leq \text{OL}$	$\text{BL} \leq (500-3\sigma) < \text{IN} < (1500+3\sigma) \leq \text{OL}$
Hg	$\text{BL} \leq (700-3\sigma) < \text{IN} < (1300+3\sigma) \leq \text{OL}$	$\text{BL} \leq (700-3\sigma) < \text{IN} < (1300+3\sigma) \leq \text{OL}$	$\text{BL} \leq (500-3\sigma) < \text{IN} < (1500+3\sigma) \leq \text{OL}$
Cr	$\text{BL} \leq (700-3\sigma) < \text{IN}$	$\text{BL} \leq (700-3\sigma) < \text{IN}$	$\text{BL} \leq (500-3\sigma) < \text{IN}$
Br	$\text{BL} \leq (300-3\sigma) < \text{IN}$	--	$\text{BL} \leq (250-3\sigma) < \text{IN}$

BL= Below Limit

OL= Over Limit

LOD = Limit of Detection

- (2) "IN" expresses the inconclusive region, and further chemical testing to confirm whether it complies with the requirement of RoHS Directive.
- (3) The XRF screening test for RoHS elements – the reading may be different to the actual content in the sample because of non-uniformity composition.
- (4) mg/kg = milligram per kilogram = ppm, $\mu\text{g}/\text{cm}^2$ = micrograms per square centimetre.
- (5) ND = Not Detected or lower than limit of quantitation.
- (6) NA = Not Applicable, as the XRF screening test result was below the limit or as the XRF screening directly determine that test result was over the limit, it was not need to conduct the wet chemical testing.
- (7) -- = Not Regulated



Report No.: WTF26F02040549A1X1C

Job No.: FSW2602110480CJ

(8) LOQ = Limit of quantitation.

Test Items	Pb	Cd	Hg	Cr ⁶⁺		PBB	PBDE	DBP	BBP	DEHP	DIBP
Units	mg/kg	mg/kg	mg/kg	mg/kg	μg/cm ²	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
LOQ	2	2	2	8	0.1	5	5	50	50	50	50

The LOQ for single compound of PBBs and PBDEs is 5mg/kg, LOQ of Cr⁶⁺ for polymer and composite sample is 8mg/kg and LOQ of Cr⁶⁺ for metal sample is 0.1μg/cm².

(9) According to IEC 62321-7-1:2015, determined of Cr⁶⁺ on metal sample by boiling water extraction test method, and result is shown as Positive/Negative.

Boiling water extraction:

Negative = Absence of Cr⁶⁺ coating, the detected concentration in boiling water extraction solution is less than 0.10μg/cm².

Positive = Presence of Cr⁶⁺ coating, the detected concentration in boiling water extraction solution is greater than 0.13μg/cm².

Information on storage conditions and production date of the tested sample is unavailable and thus Cr⁶⁺ results represent status of the sample at the time of testing.

(10)RoHS Requirement

Restricted Substances	Limits
Cadmium (Cd)	0.01% (100 mg/kg)
Lead (Pb)	0.1% (1000 mg/kg)
Mercury (Hg)	0.1% (1000 mg/kg)
Chromium (VI) (Cr ⁶⁺)	0.1% (1000 mg/kg)
Polybrominated Biphenyls (PBBs)	0.1% (1000 mg/kg)
Polybrominated Diphenyl Ethers (PBDEs)	0.1% (1000 mg/kg)
Dibutyl phthalate (DBP)	0.1% (1000 mg/kg)
Benzyl butyl phthalate (BBP)	0.1% (1000 mg/kg)
Di(2-ethylhexyl) phthalate (DEHP)	0.1% (1000 mg/kg)
Di-iso-butyl phthalate (DIBP)	0.1% (1000 mg/kg)

(11) Abbreviation:

“Pb” denotes Lead, “Cd” denotes Cadmium, “Hg” denotes Mercury, “Cr” denotes Chromium, “Cr⁶⁺” denotes Hexavalent Chromium, “Br” denotes Bromine, “PBBs” denotes Total Polybrominated Biphenyls, “PBDEs” denotes Total Polybrominated Diphenyl Ethers.

“DBP” denotes Dibutyl phthalate, “BBP” denotes Benzyl butyl phthalate (BBP), “DEHP” denotes Bis(2-ethylhexyl)-phthalate, “DIBP” denotes Diisobutyl phthalate, “PHT” denotes Phthalates.

(12) “△”=As per applicant's requirement, the testing was conducted based on mixed components by weight in equal ratio, results are calculated by the minimum weight of mixed components.


(13) * = According to the declaration from client, the source of lead in test sample is from the glass or ceramic material of that electronic component which is exempted by Directive 2011/65/EU ANNEX III-7(c)-I.



Report No.: WTF26F02040549A1X1C

Job No.: FSW2602110480CJ

Testing Flow chart:






Report No.: WTF26F02040549A1X1C

Job No.: FSW2602110480CJ


Photograph of parts tested:





Report No.: WTF26F02040549A1X1C


Job No.: FSW2602110480CJ





Report No.: WTF26F02040549A1X1C


Job No.: FSW2602110480CJ





Report No.: WTF26F02040549A1X1C


Job No.: FSW2602110480CJ





Report No.: WTF26F02040549A1X1C

Job No.: FSW2602110480CJ





Report No.: WTF26F02040549A1X1C

Job No.: FSW2602110480CJ

Remarks:

1. The results shown in this test report refer only to the sample(s) tested;
2. This test report cannot be reproduced, except in full, without prior written permission of the company;
3. The report would be invalid without specific stamp of test institute and the signatures of compiler and approver;
4. The Applicant name and Address, the sample(s) and sample information was/were provided by the applicant who should be responsible for the authenticity which Waltek hasn't verified;
5. If the report is not stamped with the accreditation recognized seal, it will only be used for scientific research, education, and internal quality control activities, and is not used for the purpose of issuing supporting data to the society.
6. The sample material information (Model No. information) is provided by client, not verified by test laboratory. The samples of reference Model No. are not tested. Test laboratory not responsible for the accuracy, appropriateness, completeness and authenticity of the information provided by client.

===== End of Report =====

WALTEK